



## Legislation Details

<b>File #:</b>	BOE 2021-201	<b>Version:</b>	2	<b>Name:</b>	
<b>Type:</b>	BOE Appeal	<b>Status:</b>	Agenda Ready		
<b>File created:</b>	5/20/2021	<b>In control:</b>	Board of Equalization		
<b>On agenda:</b>	5/24/2021	<b>Final action:</b>			
<b>Title:</b>	Appellant: Joe Balyeat Parcel No.: 16511142, 16511143  Appellant's Exhibits pages: APP1 - APP6 Assessor's Exhibits pages: ASG7 - ASG57  Legal Description(s): T 4S R 14W SEC 13 Seward Meridian HM - PW SE1/4 SE1/4 PER PW 93-26 AMD REC @ 93-56W  T 4S R 14W SEC 14 Seward Meridian HM - PW SE1/4 SE1/4 PER PW RES 93-26 AMD REC @93-56W  Reason for Appeal: Excessive and Improper  <ul style="list-style-type: none"><li>• Appellant's Presentation (15 minutes)</li><li>• Assessor's Presentation (15 minutes)</li><li>• Rebuttal by Appellant (Time reserved)</li><li>• Rebuttal by Assessor (Time reserved)</li><li>• Sur Rebuttal by Appellant (Time reserved)</li></ul> DELIBERATIONS [Clerk's Note: Deliberations may be held in public or in adjudicative session.]				
<b>Sponsors:</b>					
<b>Indexes:</b>					
<b>Code sections:</b>					
<b>Attachments:</b>	1. Balyeat Appellants Exhibits, 2. Balyeat Assessor's Exhibits, 3. Case No. 2021-201_Balyeat_BOE Decision_16511142, 4. Case No. 2021-201_Balyeat_BOE Decision_16511143				

Date	Ver.	Action By	Action	Result
5/24/2021	2	Board of Equalization		